




SWISS  DESIGN

Material and technology

- Frame:** 8-part made from aluminium with crank mechanism. Patent pending opening mechanism for particularly high closing heights. The pole profile is oval 66 × 95 × 3 mm. With hand crank.
- Options:** M4 standing base, powder-coated cast steel
 M4 turnable base, powder-coated cast steel
- Frame material:** Anodized natural or graphite grey powder coated
- Frame shape:** Rectangular or square
- Cover:** Self-tautening thanks to flexible rod ends
 Material class 5 (100% polyacrylic approx. 300 g/m²)
 Material class 4 (100% polyester approx. 250 g/m²)
 Material class 2 (100% polyester approx. 220 g/m²)
- Flounce:** Only available without
- Scope of delivery:** Includes a protective cover





Area of use



Type of fastening

Assortment


	Nominal size	Lateral distance	Area covered	Height closed	Clear headroom	Total height	Height of pole	Foundation	Minimum weight for base	max. wind speed open perm.	Order no. Frame anodized natural	Order no. Frame graphite grey
	cm	cm	m ²	cm	cm	cm	cm	cm	kg	km/h (wind force)		
	A	AS	B	E	F	G	M ²	C				
	300×300	-	9	105	215	320	265	60×60	120	60 (7)	094 00 310 171	094 00 310 321
	400×300	-	12	65	215	320	265	60×60	150	50 (6)	094 00 402 171	094 00 402 321

The listed measures represent extrapolated average values that may be slightly different on the product ($\pm 2\% \pm 5$ cm).


The height dimensions are based on the ground socket M4. With the base M4, 120 kg these vary by plus 11.5 cm and with the base M4, 180 kg by plus 15.5 cm.

The max. wind speed limits as per our separate sheet apply only if the sunshade canopy is in a horizontal position and if there is a fix ground anchorage.


In the presence of several sunshades, the minimum distance between one sunshade and another and between sunshades and walls shall be 20 cm.



Loose cover max. 10 cm, concrete thickness min. 30 cm (pay attention to frost depth), water outflow



8 parts



8 parts

Accessories

³Base with castors M4 (weight set absolutely necessary)

Order no.

1. Base frame with castors M4, 150 kg, 80×80×14, galvanised steel	350 01 103 000
Cast concrete decor weights set, 4 pieces 25101104500 (approx. 125 kg) for 350 01 103 000	350 01 103 100

Fixing option M4 (Pedestal or swivel base M4 required)

Base M4, 120 kg, (for 8 plates 40×40×4 cm), 91×91×11.5–15.5 cm, galvanised steel (adjustable and levellable) (price without plates)	350 01 108 235
Base M4, 180 kg, (for 12 plates 40×40×4 cm), 91×91×15.5–19.5 cm, galvanised steel (adjustable and levellable) (price without plates)	350 01 108 335
3. Cover for base M4, 88×88×5 cm, brushed aluminium (imitation)	350 01 100 400
2. Set of castors for base M4 (maximum weight 240 kg), Ø 5 cm, H= 5.5 cm, galvanised steel	350 01 100 500
4. ³ Granite base M4, 120 kg, 90×90×17 cm, natural stone with castors	350 01 109 475
5. Ground socket M4, galvanised steel	350 01 226 510
6. Mounting plate M4/M8, 30×30×1.5 cm, galvanised steel	350 01 226 921
7. Mounting plate M4 special, for installation height 50–149 mm, galvanised steel	350 01 226 932
8. Mounting plate M4 special, for installation height 150–350 mm, galvanised steel	350 01 226 930
Mounting plate M4 for isolated grounds, installation height made to measure, high-grade steel 1.4301/304	350 01 229 730
9. Wall console M4, extension 480 mm, galvanised steel	350 01 229 405
10. Wall console M4, extension 100 mm, galvanised steel	350 01 229 410
Pedestal M4 for FORTANO	350 01 220 940
Swivel base M4 for FORTANO	350 01 220 950

Slabs for base M4

Slab set, 8 pieces, 40×40×4 cm, (ca. 110 kg), concrete	350 01 226 908
Slab set, 8 pieces, 40×40×4 cm, (ca. 115 kg), 4 pieces concrete, 4 pieces in granite-look	350 01 226 909
Slab set, 12 pieces, 40×40×4 cm, (ca. 165 kg), concrete	350 01 226 907
Slab set, 12 pieces, 40×40×4 cm, (ca. 170 kg), 8 pieces concrete, 4 pieces in granite-look	350 01 226 906

Protective cover made of coated, tear-resistant polyester fabric

11. Protective cover with zip and rod for 300×300	350 01 221 492
11. Protective cover with zip and rod for 400×300	350 01 221 502

Miscellaneous items

12. Rechargeable battery light Osyryon 6 for pole Ø 30–50 mm, battery charger with european plug (type C) included 1 accumulator included	350 01 557 950
13. Rechargeable battery light Osyryon 4 for pole Ø 30–50 mm, battery charger with european plug (type C) included 1 accumulator included	350 01 557 910
Spare accu, 3.6 V, 2500 mAh (for Osyryon 4 & 6)	350 01 557 920

¹ while stocks last

³ only suitable for smooth, joint free surface coverings





furnituredesignhouse.com

Extreme outdoor furniture... handcrafted in Europe... Yet, surprisingly affordable!

Furniture Designhouse

Ho Ho Kus, NJ 07423

201.689.9422

sales@FurnitureDesignhouse.com