

NEW

FORTINO® Riviera

The compact, wind-resistant one



Glatz 
furniture design house®

FORTINO® Riviera



Material and technology

- Frame:** 8-part made from aluminium, anodized natural, 100 % corrosion-resistant, screws and rivets made of stainless steel, slide and crown made of fibreglass reinforced plastic, with two-part profiled pole 38.4 × 2 mm, counter-rotating opening principle for easy opening.
- Frame colour:** anodized natural
- Frame shape:** round or square
- Shade cover: *** self-tautening thanks to the flexible strut ends, available in material class 5 (100 % polyacrylic approx. 300 g/m²), material class 4 (100 % polyester approx. 250 g/m²)
- Flounce:** not available
- Protective cover:** optional

* This model is also available in material class 2: Polyester, UV protection > 98%



Application



Fixations

FORTINO® Riviera,
© Int. Design reg.



Swiss
Design

Assortment

Nominal size **Order no.**
Frame anodized natural


| | |
|--------------------|-----------------|
| ○ | without flounce |
| Ø 250 [*] | 310 00 250 171 |
| Ø 300 [*] | 310 00 300 171 |

| | |
|----------------------|----------------|
| □ | |
| 200×200 [*] | 310 00 201 171 |
| 240×240 [*] | 310 00 241 171 |

| Nominal size | Lateral distance | Pole Ø | Area covered | Height closed | Clear headroom | Total height | Height open | Foundation | Minimum weight for base | max. wind speed open perm. |
|----------------------|------------------|--------|----------------|---------------|----------------|--------------|-------------|------------|-------------------------|----------------------------|
| cm | cm | cm | m ² | cm | cm | cm | cm | cm | kg | km/h (wind force) |
| A | AS | M | B | E | F | G | H | C | | |
| Ø 250 [*] | 230 | 3.8 | 4.4 | 150 | 205 | 285 | 240 | 60×60 | 55 | 80 (9) |
| Ø 300 [*] | 275 | 3.8 | 6.4 | 140 | 205 | 300 | 245 | 70×70 | 70 | 60 (7) |
| 200×200 [*] | - | 3.8 | 4.0 | 135 | 205 | 285 | 240 | 60×60 | 55 | 70 (8) |
| 240×240 [*] | - | 3.8 | 5.8 | 115 | 205 | 295 | 245 | 70×70 | 70 | 60 (7) |

^{*} 8 parts

The listed measures represent extrapolated average values that may be slightly different on the product (± 2 % ± 5 cm).
 Height dimensions are based on ground socket BT. These vary slightly depending on the type of base. Except for steel base minus 5 cm.
 The max. wind speed limits as per our separate list apply only in the presence of a fix ground anchorage.
 In the presence of several parasols, the minimum distance between one parasol and another and between parasols and walls shall be 20 cm.



Loose cover max. 10 cm, concrete thickness min. 30 cm (pay attention to frost depth), Guarantee water drainage

8 parts

Accessories

| Fixing option Z (support tube Z absolutely necessary) | | Order no. |
|--|--|------------------|
| 1 | Concrete base Z, 55 kg, Ø 60×11 cm | 350 01 109 528 |
| | 1 pallet (20 pieces) concrete base Z, 55 kg, Ø 60×11 cm | 350 01 109 534 |
| 1 | Concrete base Z, 70 kg, Ø 75×9 cm | 350 01 109 527 |
| 2 | ³ Granite base Z, 55 kg, 55×55×9 cm, natural stone, with castors and retractable handle | 350 01 109 445 |
| 3 | Steel base Z, 40 kg, 58.5×58.5×2 cm, galvanised steel | 350 01 100 210 |
| | Add-on weight 30 kg, 57.5×57.5×1.7 cm, galvanised steel | 350 01 100 310 |
| 4 | Wall bracket Z, 180 mm, galvanised steel | 350 01 205 000 |
| | | |
| 5 | Support tube Z, Ø 35 / 38 – 39 mm, galvanised steel | 350 01 201 010 |
| 5 | Support tube Z, Ø 35 / 38 – 39 mm, high-grade steel 1.4301 / 304 | 350 01 201 100 |
| | | |
| ³ Base with castors Z (support tube Z absolutely necessary) | | |
| 6 | Base with castors Z, 55 kg, 65×65×11 cm, cast concrete decor | 350 01 102 900 |
| | 1 pallet (5 pieces) base with castors Z, 55 kg, Ø 65×65×11 cm, cast concrete decor | 350 01 102 950 |
| 7 | Base with castors Z, 90 kg, 80×80×12.5 cm, cast concrete decor | 350 01 102 800 |
| | 1 pallet (5 pieces) base with castors Z, 90 kg, Ø 80×80×12.5 cm, cast concrete decor | 350 01 102 850 |
| | | |
| Fixing option BT (Connection tube BT absolutely necessary) | | |
| 8 | Ground socket BT, galvanised steel | 350 01 206 100 |
| 9 | Connection tube BT, Ø 35 / 38 – 39 mm, galvanised steel | 350 01 206 210 |
| | | |
| Protective cover made of coated, tear-resistant polyester fabric | | |
| 10 | Protective cover with zip and rod | 350 01 609 980 |
| | 10 pieces, protective cover with zip and rod | 350 01 609 974 |
| | | |
| Miscellaneous items | | |
| 11 | OSYRION Spot LED battery-powered light, set of 2, with remote control, including charger | 350 01 563 000 |
| 12 | OSYRION Spot LED battery-powered light, set of 4, with remote control, including charger | 350 01 563 100 |

³ only suitable for smooth, joint free surface coverings



1 2 3 4 5 6 7 8 9 10



11 12

furnituredesignhouse.com

Extreme outdoor furniture... handcrafted in Europe... Yet, surprisingly affordable!

Furniture Designhouse

Ho Ho Kus, NJ 07423

201.689.9422

sales@FurnitureDesignhouse.com

Glatz AG
Parasols
2022 Season

glatz.com

