FORTELLO® The large, wind-resistant one





FORTELLO®



Material and technology

Frame: 8 struts made of natural anodized aluminium, 100% inox, screws and rivets of

high-grade steel, two-part profiled mast 67×3mm, contrarotating opening

system allowing for easy opening.

Frame colour: anodized natural

Frame shape: round, rectangular or square

Shade cover:* self-tautening thanks to the flexible strut ends, available in

material class 5 (100 % polyacrylic approx. 300 g/m²) and material class 4 (100 % polyester approx. 250 g/m²)

Flounce: not available

Protective cover: optional

* This model is also available in material class 2: Polyester, UV protection > $98\,\%$













Assortment

Nominal size without flounce	Order no. Frame anodized natural
0	without LED
Ø 400 ⁸	325 00 400 171
400×300 ⁸	325 00 402 171
300×300 ⁸	325 00 301 171
350×350 °	325 00 351 171
400×400 ⁸	325 00 401 171

Nominal size	Lateral distance	Mast Ø	Area covered	Height closed	Clear headroom	Total height	Height open	Foundation	Minimum weight for base	max. wind speed open perm.
cm	cm	cm	m²	cm	cm	cm	cm	cm	kg	km/h (Bft.)
A	AS	М	В	E	F	G	Н	С		
Ø 400 ⁸	370	6.7	11.3	135	215	345	280	80×80	120	85 (9)
400×300 ⁸	-	6.7	12	130	215	375	290	80×80	120	85 (9)
300×300 ⁸	-	6.7	9	125	215	345	270	80×80	120	100 (10)
350×350 ⁸	-	6.7	12.3	110	215	365	280	80×80	120	85 (9)
400×400 ⁸	-	6.7	16.0	95	215	385	290	100×100	180	75 (9)

^{8 8} parts


The listed measures represent extrapolated average values that may be slightly different on the product (\pm 2 % \pm 5 cm).

The height dimensions are based on the ground socket M4. With the base M4, 120 kg these vary by plus 11.5 cm and with the base M4, 180 kg by plus 15.5 cm.


Using PX ground socket with adapter on M4 leaves an additional 10.5 cm.


The max. wind speed limits as per our separate list apply only in the presence of a fix ground anchorage.

In the presence of several parasols, the minimum distance between one parasol and another and between parasols and walls shall be 20 cm.










8 parts

Accessories

Fixing option PX (Adapter PX to M4 and support tube M4, P+ absolutely necessary)	Order no.
1 Ground socket PX, galvanised steel	350 01 207 001
Adapter PX to M4 (support tube , P+ absolutely necessary)	350 01 221 800
³ Base with castors M4 (support tube M4 absolutely necessary)	
Base frame with castors M4, 150 kg, 80×80×14 cm, galvanised steel (weight set absolutely necessary)	350 01 103 000
Cast concrete decor weights set, 4 pieces 25101104500 (approx. 125 kg) for 350 01 103 000	350 01 103 100
Fixing option M4 (support tube M4 absolutely necessary)	
Base M4, 120kg, (for 8 plates 40×40×4 cm), 91×91×11.5 – 15.5 cm, galvanised steel	350 01 108 235
(adjustable and levellable) (price without plates)	330 01 100 233
Base M4, 180 kg, (for 12 plates 40×40×4cm), 91×91×15.5 – 19.5 cm, galvanised steel (adjustable and levellable) (price without plates)	350 01 108 335
5 Cover for M4 base, 120 kg, 96×96×11.5 cm, plastic ABS coated, anodized aluminium look	350 01 100 617
6 Cover for M4 base, 120 kg, 96×96×11.5 cm, plastic ABS coated, anthracite	350 01 100 630
5 Cover for M4 base, 180 kg, 96×96×15 cm, plastic ABS coated, anodized aluminium look	350 01 100 717
6 Cover for M4 base, 180 kg, 96×96×15 cm, plastic ABS coated, anthracite	350 01 100 717
Set of castors for base M4 (maximum weight 240 kg), Ø 5 cm, H= 5.5 cm, galvanised steel	350 01 100 500
Granite base M4, 120 kg, 90×90×17 cm, natural stone with castors	350 01 109 475
Ground socket M4, galvanised steel	350 01 226 510
Mounting plate M4/M8, 30×30×1.5 cm, galvanised steel	350 01 226 921
LO Mounting plate M4 special, for installation height 50 – 149 mm, galvanised steel	350 01 226 932
Mounting plate M4 special, for installation height 150 – 350 mm, galvanised steel	350 01 226 930
Mounting plate M4 for isolated grounds, installation height made to measure, high-grade steel 1.4301/304	350 01 229 730
.2 Wall console M4, extension 480 mm, galvanised steel	350 01 229 405
3 Wall console M4, extension 100 mm, galvanised steel	350 01 229 410
14 Support tube M4, P*, galvanised steel	350 01 200 235
Slabs for base M4	
Slab set, 8 pieces, 40×40×4cm, (ca. 110 kg), concrete	350 01 226 908
Slab set, 8 pieces, 40×40×4 cm, (ca. 115 kg), 4 pieces concrete, 4 pieces in granite-look	350 01 226 909
Slab set, 12 pieces, 40×40×4 cm, (ca. 165 kg), concrete	350 01 226 907
Slab set, 12 pieces, 40×40×4cm, (ca. 170 kg), 8 pieces concrete, 4 pieces in granite-look	350 01 226 906
Protective cover made of coated, tear-resistant polyester fabric	
Protective cover made of coated, teal-resistant polyester fabric Protective cover with zip and rod	350 01 609 701
Trotective cover with zip and rod	330 01 009 701
Miscellaneous items	
16 OSYRION Spot LED battery-powered light, set of 2, with remote control, including charger	350 01 563 000
17 OSYRION Spot LED battery-powered light, set of 4, with remote control, including charger	350 01 563 100

 $[\]ensuremath{^{\text{3}}}$ only suitable for smooth, joint free surface coverings



furnituredesignhouse.com Extreme outdoor furniture... handcrafted in Europe... Yet, surprisingly affordable!

Furniture Designhouse Ho Ho Kus, NJ 07423 201.689.9422 sales@FurnitureDesignhouse.com

Glatz AG Parasols 2022 Season

